2017 FIVE YEAR MOVING AVERAGE STATUS REPORT

August, 2017

MEMBER	ASSESSMENT ALLOCATION (PERCENT)						
	MEASURING YEAR					FIVE YEAR AVERAGE (2)	LAST ASSESSMENT (3)
	2013	2014	2015	2016	2017 (1)		
Clark	9.24%	9.97%	7.24%	6.02%	7.18%	7.93%	8.44%
Cranford	5.39%	6.29%	8.99%	5.98%	6.83%	6.70%	6.67%
Garwood	2.41%	3.43%	2.88%	1.89%	3.21%	2.76%	2.60%
Kenilworth	2.16%	2.36%	2.61%	5.33%	5.76%	3.64%	2.88%
Mountainside	3.59%	3.76%	3.39%	3.89%	3.81%	3.69%	3.58%
Rahway	20.44%	14.99%	14.41%	18.87%	13.88%	16.52%	17.42%
Roselle Park	2.03%	1.80%	1.38%	1.62%	1.00%	1.57%	1.85%
Scotch Plains	5.66%	5.80%	7.32%	4.62%	5.01%	5.68%	5.74%
Springfield	10.80%	10.84%	11.08%	9.97%	9.07%	10.35%	10.39%
Westfield	12.58%	13.94%	13.49%	18.87%	16.42%	15.06%	14.36%
Woodbridge	25.70%	26.82%	27.21%	22.94%	27.83%	26.10%	26.07%

Notes:

(1) = Figures computed based on Flow, BOD and TSS data received as of reporting month.

(2) = Five year moving average consisting of 2013, 2014, 2015, 2016, and month to date for 2017

(3) = Five year moving average consisting of 2012, 2013, 2014, 2015, and 2016

9/14/2017 7:53:18 PM

2017 TOWN ASSESSMENT BREAKDOWN SUMMARY

August, 2017

MEMBER	Up to Date Average Daily Flow (MGD)		Biochemical Oxygen Demand (tons/day)		Total Suspended Solids (tons/day)		Percent of Total Cost of Operation to Date	
	2016	2017	2016	2017	2016	2017	2016	2017
Clark	1.04	1.23	0.92	1.49	1.73	1.48	6.02%	7.18%
Cranford	1.69	2.13	0.79	1.05	1.22	1.08	5.98%	6.83%
Garwood	0.56	0.74	0.35	0.61	0.24	0.58	1.89%	3.21%
Kenilworth	0.98	1.20	1.09	1.09	1.13	1.14	5.33%	5.76%
Mountainside	0.75	0.76	0.74	0.74	0.86	0.76	3.89%	3.81%
Rahway	4.57	5.44	2.70	1.78	4.35	1.75	18.87%	13.88%
Roselle Park	0.45	0.37	0.23	0.09	0.31	0.18	1.62%	1.00%
Scotch Plains	0.97	1.11	0.89	0.96	0.93	0.93	4.62%	5.01%
Springfield	2.24	2.08	1.85	1.67	1.95	1.70	9.97%	9.07%
Westfield	3.71	3.78	3.42	3.03	4.30	3.06	18.87%	16.42%
Woodbridge	4.98	6.01	4.45	5.24	4.41	5.37	22.94%	27.83%
TOTAL:	21.94	24.85	17.43	17.75	21.43	18.03	100.00%	100.00%

Notes:

(1): Woodbridge MGD figure represents flow after 0.50 MGD flow credit is applied

(2): Woodbridge TSS figure represents loading after 833 lbs/day credit is applied

(3): All inter-municipality adjustments have been applied

Conversion Factor: Tons/day = Daily Average Load (lbs/day)/2000

9/14/2017 7:57:27 PM

2017 INTER-MUNICIPAL ADJUSTMENTS REPORT

August, 2017

MEMBER	Dwelling Unit Qty			Average Daily Flow (MGD)			Average BOD (Tons)			Average TSS (Tons)		
	Bill To	Credit To	Total Adj.	Average Flow	Adjustment	Final Flow	Average BOD	Adjustment	Final BOD	Average TSS	Adjustment	Final TSS
Clark	479	0	479	1.13	0.0958	1.23	1.41	0.0799	1.49	1.40	0.0799	1.48
Cranford	242	1092	-850	2.3	-0.1700	2.13	1.19	-0.1418	1.05	1.22	-0.1418	1.08
Garwood	54	110	-56	0.75	-0.0112	0.74	0.62	-0.0093	0.61	0.59	-0.0093	0.58
Kenilworth	62	38	24	1.2	0.0048	1.20	1.09	0.0040	1.09	1.14	0.0040	1.14
Mountainside	105	339	-234	0.81	-0.0468	0.76	0.78	-0.0390	0.74	0.80	-0.0390	0.76
Rahway	13	15	-2	5.44	-0.0004	5.44	1.78	-0.0003	1.78	1.75	-0.0003	1.75
Roselle Park	38	117	-79	0.39	-0.0158	0.37	0.10	-0.0132	0.09	0.19	-0.0132	0.18
Scotch Plains	66	413	-347	1.18	-0.0694	1.11	1.02	-0.0579	0.96	0.99	-0.0579	0.93
Springfield	0	186	-186	2.12	-0.0372	2.08	1.70	-0.0310	1.67	1.73	-0.0310	1.70
Westfield	1425	175	1250	3.53	0.2500	3.78	2.82	0.2085	3.03	2.85	0.2085	3.06
Woodbridge	10	9	1	6.51	-0.4998	6.01	5.24	0.0002	5.24	5.79	-0.4163	5.37
TOTAL:	2494	2494	0	25.36	-0.5000	24.85	17.75	0.0000	17.75	18.45	-0.4165	18.03

Equations:

Assumptions: 200 gpd flow per unit at 200 mg/l BOD and TSS concentrations.

(1): Flow Adj: [Units] x (0.0002 MGD)

(2): BOD Adj: [Units] x (0.0002MGD) x (200 mg/L) x (8.34 lbs/g) / (2000 lbs/ton)

(3): TSS Adj: [Units] x (0.0002MGD) x (200 mg/L) x (8.34 lbs/g) / (2000 lbs/ton)

Notes:

(1): Woodbridge MGD adjustment includes a 0.50 MGD flow credit

(2): Woodbridge TSS adjustment includes an 833 lbs/day credit

9/14/2017 7:58:50 PM

2017 AVERAGE DAILY FLOW REPORT

August, 2017

METER NO.:	2016			2017									Average To Date (2)
	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	
RV01	1.88	1.97	2.13	2.39	2.29	2.35	2.44	2.11	1.86	1.86	2.02		2.12
RV02	3.13	3.27	3.40	3.80	3.71	3.90	4.09	3.76	3.35	3.12	3.05		3.50
RV03	1.25	1.23	1.47	1.48	1.46	1.67	1.86	1.78	1.64	1.39	1.62		1.53
RV04	0.16	0.18	0.22	0.25	0.23	0.24	0.27	0.24	0.21	0.20	0.19		0.22
RV05	0.24	0.26	0.29	0.35	0.33	0.37	0.42	0.38	0.30	0.23	0.22		0.31
RV06	0.42	0.17	0.19	0.21	0.19	0.20	0.25	0.24	0.21	0.19	0.51		0.25
RV07	0.50	0.51	0.59	0.64	0.61	0.69	0.80	0.73	0.68	0.60	0.58		0.63
RV09	2.83	3.12	3.47	4.31	3.97	4.37	5.40	5.01	4.23	3.35	3.18		3.93
RV10	5.99	6.23	7.02	8.11	7.33	8.12	10.13	9.01	8.33	7.08	7.30		7.69
RV11	9.12	9.97	10.97	13.28	11.77	13.17	16.17	14.66	13.17	11.45	11.60		12.30
RV12	4.17	4.63	5.03	6.66	5.58	5.90	6.92	6.66	5.55	5.06	5.56		5.61
RV13	0.45	0.47	0.61	0.77	0.68	0.72	0.90	0.81	0.70	0.59	0.59		0.66
RV14	14.47	15.98	18.92	21.93	18.23	21.80	26.89	24.23	19.90	17.00	16.87		19.66
RV15	0.60	0.69	0.76	0.94	0.83	0.92	1.27	1.24	0.98	0.79	0.91		0.90
RV17	0.35	0.43	0.42	0.53	0.44	0.47	0.54	0.51	0.47	0.40	0.41		0.45
RV18	0.73	0.74	0.74	0.89	0.76	0.88	0.94	0.93	0.89	0.89	0.95		0.85
RV19	0.27	0.30	0.36	0.31	0.07	0.39	0.44	0.42	0.39	0.35	0.35		0.33
RV20	0.73	0.76	0.85	0.90	0.78	0.83	0.93	0.89	0.79	0.74	0.76		0.81
RV29	0.95	1.03	1.22	1.31	1.14	1.18	1.50	1.36	1.23	1.12	1.07		1.19
RV30	0.12	0.13	0.15	0.18	0.18	0.19	0.21	0.21	0.21	0.18	0.16		0.17
RV31	0.04	0.05	0.04	0.08	0.05	0.15	0.29	0.15	0.13	0.01	0.03		0.09
Total Rainfall (inch)	1.90	4.43	2.59	3.93	1.66	3.87	3.26	4.71	3.67	2.94	3.64		36.60

Notes: (1) Meter RV31 measures flow through the Gravity Relief Sewer that would otherwise be metered through Meter RV14. Flows from Meter RV31 are therefore added to flows from Meter RV14 for purposes of user charge calculations.

(2) Rainfall figure represtents total rainfall for the billing year.

9/14/2017 7:59:21 PM

2017 METER SITE LOADING RATES

August, 2017

METER NO.:	Avgerage Daily Flow Rate (MGD):	Biochemical Oxygen Demand (BOD)			Total Suspended Solids (TSS)		
		Average (mg/L) (1)	Loading (lbs/day)	Loading (Tons/day)	Average (mg/L) (1)	Loading (lbs/day)	Loading (Tons/day)
RV01	2.12	192	3395	1.70	196	3465	1.73
RV02	3.50	203	5926	2.96	217	6334	3.17
RV03	1.53	193	2463	1.23	184	2348	1.17
RV04	0.22	202	371	0.19	204	374	0.19
RV05	0.31	182	471	0.24	154	398	0.20
RV06	0.25	169	352	0.18	186	388	0.19
RV07	0.63	233	1224	0.61	189	993	0.50
RV09	3.93	197	6457	3.23	199	6522	3.26
RV10	7.69	174	11159	5.58	180	11544	5.77
RV11	12.30	196	20106	10.05	200	20516	10.26
RV12	5.61	192	8983	4.49	215	10059	5.03
RV13	0.66	184	1013	0.51	173	952	0.48
RV14	19.66	161	26398	13.20	163	26726	13.36
RV15	0.90	201	1509	0.75	202	1516	0.76
RV17	0.45	89	334	0.17	92	345	0.17
RV18	0.85	223	1581	0.79	226	1602	0.80
RV19	0.33	165	454	0.23	137	377	0.19
RV20	0.81	232	1567	0.78	237	1601	0.80
RV29	1.19	164	1628	0.81	156	1548	0.77
RV30	0.17	136	193	0.10	115	163	0.08
RV31	0.09	161	121	0.06	163	122	0.06

Notes: (1)Average loading adjusted to disregard the highest and lowest sample reading for each meter site.

(2)lbs/day = mg/L * Average Daily Flow (MGD) * 8.34

(3)Tons/day = lbs/day / 2000

9/14/2017 8:00:04 PM

2017 Biochemical Oxygen Demand Concentration Results

August, 2017

Sample Date	BIOCHEMICAL OXYGEN DEMAND CONCENTRATION [mg/L]																			
	METER NO.																			
	RV01	RV02	RV03	RV04	RV05	RV06	RV07	RV09	RV10	RV11	RV12	RV13	RV14	RV15	RV17	RV18	RV19	RV20	RV29	RV30
9/26/2016			344	238	188	584								254		240				
9/27/2016			180	231	134	294								243		245				
9/28/2016			192	315	188	434								236		300				
9/29/2016			151	434	204	381								240		212				
10/11/2016	215	243	217	180	239	204	238	210	215	221	200	161	192	230	146	258	197	245	228	102
10/17/2016									191	232	253	177	196		85.2		172			
10/18/2016									212	221	210	158	189		83.1		153			
10/19/2016									260	279	334	148	212		97.2		207			
10/20/2016									320	252	178	158	178		66.8		171			
10/24/2016	255	254					368	235										211	520	348
10/24/2016	263	217	336	271	210	263	202	238	185	214	191	385	195	228	67	259	420	224	195	284
10/25/2016	299	291					339	278										326	287	362
10/26/2016	208	226					361	212										235	296	163
10/27/2016	168	152					327	173										253	220	146
11/8/2016	237	248	205	164	206	206	245	200	211	364	265	311	276	275	92	292	169	210	207	129
11/21/2016			212	321	172	169		212						237		194				
11/21/2016	143	186	238	207	318	208	259	226	212	199	273	210	207	225	114	265	234	219	99	180
11/22/2016			226	264	178	151		266						245		184				
11/28/2016			314	317	253	263		308						438		263				
11/29/2016			105	192	131	83.5		216						150		216				
12/5/2016									222	226	295	163	167		98.4		214			
12/6/2016									323	196	265	203	76.6		98.6		110			
12/7/2016	150	186	191	200	271	177	205	207	141	144	180	159	140	180	39	225	187	217	146	221
12/7/2016									199	174	138	112	131		89.6		196			
12/8/2016									178	174	140	115	93		78.2		173			
12/12/2016	201	172					184											229	150	140
12/13/2016	198	238					310											210	60	163
12/14/2016	146	267					177											184	175	111
12/15/2016	219	227					301											203	186	124
12/19/2016	242	200	194	180	271	200	228	207	210	197	212	185	173	171	71	324	99	273	123	123

Sample Date	BIOCHEMICAL OXYGEN DEMAND CONCENTRATION [mg/L]																			
	METER NO.																			
	RV01	RV02	RV03	RV04	RV05	RV06	RV07	RV09	RV10	RV11	RV12	RV13	RV14	RV15	RV17	RV18	RV19	RV20	RV29	RV30
1/10/2017	277	224	218	177	174	129	245	240	152	193	201	243	222	198	78	243	201	244	640	150
1/25/2017	146	126	108	90	113	87	165	105	93	167	84	182	135	114	56	182	128	149	120	72
1/30/2017			202	169	153	88.6		202						154		214				
1/31/2017			215	176	163	79		236						185		210				
2/1/2017			267	180	167	129		161						191		207				
2/2/2017			182	182	174	134		194						284		201				
2/6/2017	335	237	233	218	226	210	396	204	210	236	200	200	195	233	96	247	335	296	134	170
2/6/2017									348	192	174	167	211		95.6		160			
2/7/2017									151	194	171	194	189		94.7		155			
2/14/2017	182	226					216											230	192	110
2/15/2017	186	174					258											223	186	106
2/16/2017	182	147					295											280	128	107
2/22/2017	268	229	168	185	173	140	217	217	164	206	227	353	176	190	82	205	162	238	189	96
3/1/2017									146	202	211	202	202		174		157			
3/2/2017									181	185	152	106	169		107		124			
3/8/2017	203	279	240	205	246	155	500	240	202	228	241	452	226	216	81	198	117	314	184	285
3/9/2017	167	193					352											285	236	136
3/22/2017	140	190	164	129	187	195	298	153	171	174	196	139.5	150	153	106	205	162	295	147	170
4/3/2017						63				120	119	82.8	97.4				116		104	
4/4/2017						52.3				63.3	65.4	32.5	61.3				91		79.3	
4/5/2017						68				115	86.6	35.5	85.5				156			
4/5/2017	152	140	137	108	96	63	99	129	150	114	111	102	102	108	55	138	128	240	69	90
4/6/2017						49.5				89.8	94	54.4	78				90.3		97.5	
4/17/2017	179	206	234	271	242	144	220	248	191	284	227	221	176	253	119	307	158	329	141	117
4/17/2017			116	109	175			152	158					150		237				
4/18/2017			182	170	166			179	133					215		211				
4/19/2017			180	178	137			176	113					180		222				
4/20/2017			176	184	129			166	133					216		191				
4/24/2017	191	197					211								112			200		87.6
4/25/2017	145	145					140								73.4			224		104
4/26/2017	147	174					214								72			167		89.1
4/27/2017	170	188					172								84.1			465		85.8
5/3/2017	195	243	206	274	185	213	185	229	210	217	257	210	189	215	66	248	157	272	126	137
5/16/2017	165	221	159	144	140	179	161	167	138	158	128	111	147	129	60	195	228	249	146	72
6/1/2017	224	212	192	165	221	110	149	195	161	242	194	317	185	191	75	206	214	222	96	118
6/5/2017			120	173	109	106		174						163		155				
6/6/2017			154	502	143	98.1		158						165		205				

Sample Date	BIOCHEMICAL OXYGEN DEMAND CONCENTRATION [mg/L]																			
	METER NO.																			
	RV01	RV02	RV03	RV04	RV05	RV06	RV07	RV09	RV10	RV11	RV12	RV13	RV14	RV15	RV17	RV18	RV19	RV20	RV29	RV30
6/7/2017			178	157	172	124		364						219		134				
6/8/2017			159	213	123	215		148						179		114				
6/12/2017									124	147	194	174	163		97.6		166			
6/13/2017									116	201	208	148	114		86.6		163			
6/14/2017									121	219	183	150	122		110		125			
6/15/2017	249	259	222	206	248	248	247	243	196	271	243	155	218	296	113	318	222	231	350	
6/15/2017									126	267	298	249	156		86.8		128			
6/19/2017	211	161					170											176	104	165
6/20/2017	148	155					129											111	75.5	58.6
6/21/2017	147	161					313											212	117	91.4
6/22/2017	154	120					181											116	119	80.9
6/27/2017	177	210	152	211	196	78	275	167	120	184	159	391	140	206	85	252	201	340	75	99
7/12/2017	213	210	242	210	270	255	153	191	162	214	193	138	167	229	129	287	173	265	123	179
7/24/2017			160	102	112	172					137		144	137						
7/25/2017			150	132	119	117					148		107	177						
7/25/2017	192	188	168	123	186	159	239	146	164	195	377	214	181	172	60	236	189	193	343	140
7/26/2017			144	185	136	166					162		150	199						
7/27/2017			212	177	126	144					180		162	193						
7/31/2017								169	116	185		152			88	181	139			
8/1/2017								162	109	172		149			92.1	170	131			
8/2/2017								150	138	174		149			109	206	129			
8/3/2017								144	125	174		146			85.2	200	127			
8/9/2017	195	197	168	232	208	206	237	194	181	192	143	281	159	153	82	250	123	265	99	123
8/14/2017	184	219					222											180	156	140
8/15/2017	132	194					140											158	133	89.2
8/16/2017	136	183					154											202	104	117
8/17/2017	140	148					210											150	146	117
8/24/2017	246	342	236	224	241	261	159	161	197	179	164	234	190	188	89	233	171	273	155	174
Maximum	335	342	344	502	318	584	500	364	348	364	377	452	276	438	174	324	420	465	640	362
Minimum	132	120	105	90	96	50	99	105	93	63	65	33	61	108	39	114	90	111	60	59
Average	194	204	195	206	183	176	235	199	176	197	193	187	162	204	90	223	169	235	174	141
Adjusted Avg	192	203	193	202	182	169	233	197	174	196	192	184	161	201	89	223	165	232	166	138
Count	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	46	46

2017 Total Suspended Solids Results

August, 2017

Sample Date	TOTAL SUSPENDED SOLIDS [mg/L]																			
	METER NO.																			
	RV01	RV02	RV03	RV04	RV05	RV06	RV07	RV09	RV10	RV11	RV12	RV13	RV14	RV15	RV17	RV18	RV19	RV20	RV29	RV30
9/26/2016			328	268	120	604								262		332				
9/27/2016			224	668	120	586								340		326				
9/28/2016			226	330	150	672								236		376				
9/29/2016			114	300	224	628								256		428				
10/11/2016	208	248	178	110	280	142	188	188	188	210	212	204	178	198	48	240	190	226	144	66
10/17/2016									244	320	396	302	258		104		150			
10/18/2016									330	318	312	176	228		112		190			
10/19/2016									370	284	394	194	248		158		180			
10/20/2016									480	290	316	182	202		96		246			
10/24/2016	272	274					234	260										296	402	248
10/24/2016	236	224	248	174	160	190	228	288	176	204	416	272	206	230	64	256	256	230	150	124
10/25/2016	320	264					216	250										302	284	354
10/26/2016	290	270					272	242										324	404	136
10/27/2016	224	118					248	212										384	316	226
11/8/2016	282	320	184	144	148	240	176	232	212	244	248	424	244	250	78	236	114	298	160	102
11/21/2016			208	312	130	140		234						208		196				
11/21/2016	140	182	236	180	296	294	206	246	194	256	204	180	168	234	104	192	154	252	90	156
11/22/2016			192	252	138	118		222						210		150				
11/28/2016			292	174	154	130		274						296		194				
11/29/2016			150	302	138	148		394						252		294				
12/5/2016									202	190	262	132	124		92		180			
12/6/2016									410	202	436	254	90		206		128			
12/7/2016	142	186	166	122	368	298	154	182	138	174	180	122	148	162	46	242	100	214	110	166
12/7/2016									270	178	218	122	168		150		210			
12/8/2016									310	192	180	116	84		110		192			
12/12/2016	214	222					144											240	236	130
12/13/2016	234	282					268											212	196	168
12/14/2016	118	322					144											234	210	124
12/15/2016	260	390					338											184	286	174
12/19/2016	214	172	200	158	236	340	148	170	140	184	168	222	156	240	60	226	70	210	92	106

Sample Date	TOTAL SUSPENDED SOLIDS [mg/L]																			
	METER NO.																			
	RV01	RV02	RV03	RV04	RV05	RV06	RV07	RV09	RV10	RV11	RV12	RV13	RV14	RV15	RV17	RV18	RV19	RV20	RV29	RV30
1/10/2017	234	216	196	146	136	92	180	222	172	180	190	182	178	174	54	200	104	224	622	74
1/25/2017	148	128	96	82	106	30	108	108	80	126	372	114	120	94	50	174	100	158	84	70
1/30/2017			176	208	150	92		250						122		204				
1/31/2017			160	142	132	36		216						166		184				
2/1/2017			320	182	122	106		156						188		222				
2/2/2017			174	196	132	102		158						488		222				
2/6/2017	212	242	208	420	192	132	238	180	232	202	168	242	156	184	62	198	96	242	90	96
2/6/2017									468	172	204	158	234		82		174			
2/7/2017									132	162	154	158	144		70		176			
2/14/2017	186	280					144											226	162	162
2/15/2017	210	170					224											272	156	114
2/16/2017	288	132					156											354	116	94
2/22/2017	198	230	152	152	98	104	154	142	154	162	166	182	180	152	70	172	124	206	108	80
3/1/2017									152	196	252	168	172		180		154			
3/2/2017									152	196	210	104	180		144		86			
3/8/2017	216	226	228	160	166	148	314	172	186	180	218	168	196	184	50	202	152	410	94	136
3/9/2017	174	172					260											276	270	150
3/22/2017	136	168	128	110	114	88	170	140	144	150	212	114	126	142	88	182	208	212	96	90
4/3/2017						74				370	166	72	82				102		118	
4/4/2017						60				90	96	26	78				112		80	
4/5/2017						60				80	84	42	90				148			
4/5/2017	144	138	88	82	72	42	76	102	88	88	92	86	226	94	28	142	80	172	46	68
4/6/2017						82				140	142	82	122				102		122	
4/17/2017	184	182	170	234	148	90	246	214	152	224	264	200	188	178	98	252	120	290	126	70
4/17/2017			184	132	180			232	144					246		326				
4/18/2017			226	198	160			184	112					306		260				
4/19/2017			180	184	112			244	136					206		288				
4/20/2017			174	212	114			170	130					216		218				
4/24/2017	228	246					158								122			210		86
4/25/2017	200	206					144								106			224		106
4/26/2017	162	284					158								98			172		104
4/27/2017	198	234					114								102			258		102
5/3/2017	188	198	158	220	126	308	134	182	180	176	164	164	178	178	42	216	96	206	78	164
5/16/2017	142	206	110	124	94	122	112	114	112	130	100	102	188	112	46	154	100	174	186	70
6/1/2017	186	220	164	114	180	84	124	202	152	220	154	176	156	154	48	180	222	242	72	48
6/5/2017			185	240	170	180		210						260		155				
6/6/2017			156	664	162	96		232						220		266				

Sample Date	TOTAL SUSPENDED SOLIDS [mg/L]																			
	METER NO.																			
	RV01	RV02	RV03	RV04	RV05	RV06	RV07	RV09	RV10	RV11	RV12	RV13	RV14	RV15	RV17	RV18	RV19	RV20	RV29	RV30
6/7/2017			164	134	164	140		336						210		96				
6/8/2017			140	164	116	280		200						182		136				
6/12/2017									130	146	166	160	166		106		148			
6/13/2017									126	230	310	154	132		122		118			
6/14/2017									118	254	300	214	138		126		96			
6/15/2017	210	240	208	146	220	190	134	210	178	282	192	172	182	206	72	218	138	226	384	
6/15/2017									82	252	310	300	142		92		82			
6/19/2017	174	188					162											190	124	128
6/20/2017	122	184					106											52	74	58
6/21/2017	142	192					298											264	128	104
6/22/2017	154	88					182											98	136	90
6/27/2017	168	194	134	134	164	76	148	144	156	144	144	192	138	172	68	232	170	280	74	104
7/12/2017	190	176	182	306	178	458	206	184	152	202	160	136	156	178	72	308	128	282	98	98
7/24/2017			198	122	120	168					130		186	156						
7/25/2017			152	76	100	114					202		150	230						
7/25/2017	182	190	160	106	166	406	270	152	136	172	240	166	136	138	66	216	72	224	148	126
7/26/2017			156	266	112	182					186		162	254						
7/27/2017			268	216	94	100					206		162	212						
7/31/2017								176	118	232		152			176	210	118			
8/1/2017								150	100	184		198			122	172	116			
8/2/2017								156	154	230		188			118	298	130			
8/3/2017								184	138	240		320			104	240	116			
8/9/2017	192	224	190	336	224	142	282	168	156	206	140	262	150	144	86	240	148	528	96	86
8/14/2017	170	298					194											148	130	144
8/15/2017	126	298					150											202	138	84
8/16/2017	132	152					228											278	42	90
8/17/2017	230	178					250											150	136	76
8/24/2017	294	306	176	216	168	178	144	162	188	168	164	170	164	154	74	220	104	204	90	166
Maximum	320	390	328	668	368	672	338	394	480	370	436	424	258	488	206	428	256	528	622	354
Minimum	118	88	88	76	72	30	76	102	80	80	84	26	78	94	28	96	70	52	42	48
Average	197	218	185	211	156	193	190	201	185	201	217	175	163	206	93	227	138	240	163	120
Adjusted Avg	196	217	184	204	154	186	189	199	180	200	215	173	163	202	92	226	137	237	155	116
Count	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	46	46